# **BW** Property Group

REAL ESTATE | WORKSPACE DESIGN | FACILITY SOLUTIONS

# **WORKPLACE FINISHES**


(4) STANDARD FINISH PALETTES WERE CREATED TO COORDINATE WITH BUILDING INFRASTRUCTURE AND ALLOWS FOR INDIVIDUAL OFFICE USER PREFERENCES.


IN CONJUNCTION WITH TRENDWAY, THE OFFICE FURNITURE COMPLIMENTS THE ARCHITECTURAL FINISHES AND ADDRESSES THE WORK FUNCTIONS OF THE ENDUSERS.



#### PALLETTE "A" CONSTRUCTION STANDARDS (DOR:7/9/2019)

Line #	KEY	MANUFACTURER	NAME	NUMBER	COLOR / FINISH	FABRIC / MATERIAL	REP INFORMATION	DESCRIPTION
1	PAINT-1	Sherwin Williams	Emerald Interior Acrylic Flat Walls / Semi Gloss Trim	SW-6252	Ice Cube	-	Orion	Common Wall Paint & Trim
2	PAINT-2	Sherwin Williams	Emerald Interior Acrylic Flat Walls	SW-9060	Connors Lakefront	-	Orion	Accent Paint
3	WBW	Koroseal	Wall Talker Mag Write White	M24800	White	-	Orion	
			Aluminum Trim	1-3/4" x 5/16"	Annodized		Orion	
4	CC-FF	TBD	Concrete Floor Seal	CC-FF	Seal	-	GC - Approved by Orion	Clean / Seal Concrete
5	CPT-1	Shaw	No Rules - Disperse Tile	59576	Climate - 75765	-	Dawn Van Dyke 704.668.7938	Carpet Tile - 1/4 Turn Install
6	BASE-1	Johnsonite	63 Bumt Umber B	63	Burnt Umber B	-	Orion	4" Wall Base (COVE) (CPT Tile & VCT)
7	LVP	Shaw	Terrain II 6"x48" - 20 Mil	0454V	Shade - 00564	-	Dawn Van Dyke 704.668.7938	6" Luxury Vinyl Plank (Entry, Reception & Break) 20mil
8	BASE-2	Flat Maple	1x6 flat stock stained gray with shoe mold	Stain TBD Will Match Doors & LVP			GC - Approved by Orion	
9	TRANS-1	Schluter	Schiene (Same-height Transition)	SCHIENE	Stainless	-	Orion	Carpet Tile - LVP Transition (Metal)
10	TRANS-2	Schluter	RENO-TK (Sloped Transition)	RENO-TK	Stainless	-	Orion	Carpet Tile - LVP Transition (Metal)
11	LAM-1	Wilsonart	Slate Gray	D91-60	Matte	-	Orion	Uppers & Lowers - Millwork
12	SS-1	Wilsonart	Solid Surface Triton 9212CM	9212CM - Eased Edge 1"	Triton	-	Orion	Solid Surface Tops & Backsplash
13	SS-2	Wilsonart	Solid Surface Triton 9212CM Backsplash	1/2" Backsplash				
14	GL-1	Shop	1/2" Clear Tempered (Butt-Joint)		TBD	-	Orion	Reception Entry - Full Light Glass (Side Lights)
15	GL DOOR-1	Shop	1/2" Clear Tempered (Full Height)		TBD	-	Orion	Reception Entry - 3-0" Double Doors
16	GL DOOR-1	Shop	24" Ladder Style Pull		Brushed Stainless	-	Orion	
17	LF-1	CREE	LED Recessed Troffer 4K Lumen	ZR24C-40L-501K-10V-FD	TBD	-	Orion	2x2 Lighting Fixure
18	LF-RE	Phillips	15W LED Tube 5K	Fixure Specific				
19	LF-2	Lithonia	4" Recessed WallWash	LDN4-40-X-LW4-WR-LSS-MVOLT-X-X	TBD	-	Orion	4" Recessed Can Lights
20	LF-3	Jesco	Under Cabinet Led Slim Stix	S601-400K	TBD	-	Orion	Under Cabinet LED Light Fixture
21	E-1	Trade	8 wire (Up to 4x 20amp Circuits) Furniture Infeed	# of Circuits Depends upon # of Users	-	_	Orion with Electrician	Power Infeed for Fumiture Systems - Via Trench / Core
22	E-2	Trade	1.5" Conduit (Data Cabling to Workstations)		-	-	Orion	1.5" Conduit via Trench / Core (Flush Mounted Floor Box)
23	E-3	Trade	2" Conduit (Riser to Telco)		-	*	Orion	2" Conduit for Data Circuit (Riser to Telco Closet)
24	E-4	Trade	Conference Power - Floor Power Duplex & Conduit		-	_	Orion	Power & 1.5" Data Conduit in Flush Mounted Floor Box
25	E-5	Trade	Faceplates, Switches, and Recepts WHITE					
26	E-6	Trade	Leviton Occupancy Switches	ODS10-ID 120/277 V White				
27	E-7	Trade	15Amp 125 V Combination USB 3.1A	Legrand or Similar				
28	CT-1	Armstrong	2'x2' Acoustical Ceiling Tile	Ultima - 2x2 ACT BevelTegular Tiles & 916" Suprafine Grid	-	-	Orion	2x2 Acoustical Ceiling & Grid
30	WATER-1	Trade	Water Supply Line Recessed Box / Supply	Sioux Chief 696	-	-	Orion	Waterline (Coffee, Water & Ice)
31	DOOR-1	VT Industries (AWD)	Wood Full Lite Doors	Full Lite Doors	TBD	-	VT Industries	Interior Veneer Doors
32	Hardware	Top Knobs	Nouveau III Collection or Similar	M1284 PN	Polished Nickel	-	Orion	Cabinet Pulls / Hardware
33	Hardware	Blum	Metabox 320M Drawer Series - BLUMATIC	Metabox 320M	-	-	Orion	Drawer System
34	Hardware	Blum	Soft Close Euro Hinge - Or Similar Soft Close					
35	Hardware	Elkay	Celebrity Single Bowl Sink	GECR2521L	Stainless	-	Orion	Kitchen Sink
36	Hardware	Kohler	Purist Pull Out Spout	K-7506	Polished Chrome	-	Orion	Kitchen Faucet
37	Appliance	GE	Botton-Freezer Refrigerator 20.9-cu ft or Similar	ADA Compliant GFE24JSKSS	Stainless	2	GC - Approved by Orion	Refrigerator (add waterline)
38	Appliance	GE	2.0-cuft Countertop Microwave 1,200 W or Similar	ADA Compliant GPES7227SLSS	Stainless	-	GC - Approved by Orion	Microwave (add power duplex to nook locations)
39	CN-1	General Contractor	Privacy - Deck to Deck Construction / Insulated		-	-	Orion	Conference Areas near Common Areas
40	CN-2	General Contractor	4'x8' Fire Rated Plywood - Painted		TBD	-	Orion	Telco Closet (4'x8' Fire Rated Plywood - Painted)
41	MDF-ELE	Trade	(2) 20Amp Circuits @ 72" AFF					
42	MDF-ELE-2	Trade	(1) 20AMP Circuit At 18" For Rack Service					










PAINTED STRAIGHT WOOD BASE, GREY STN

SCHLUTER SCHIENE TRANSITION

CARPET: SHAW CONTRACT NO RULES, DISPERSE TILE, CLIMATE, 1/4 TURN ISNTALL



**SEALED CONCRETE** 




RUBBER BASE JOHNSONITE 63 BURNT UMBER




SHAW CONTRACT TERRAIN II, SHADE




COUNTERTOPS: WILSONART, TRITON



MILLWORK LAMINATE: WILSONART SLATE GREY D91-60




GENERAL PAINT
SHERWIN WILLIAMS
ICE CUBE




ACCENT PAINT
SHERWIN WILLIAMS
SW9060 CONNOR'S LAKEFONT






**WORKSTATION PLAN** 

# **WORKSTATIONS**



**WORKSTATION PERSPECTIVE** 



PAINT STUCCO



PANEL FABRIC
MERGE DRIFTWOOD



WOOD LAMINATE PHANTOM ECRU

#### PALLETTE "B" CONSTRUCTION STANDARDS (DOR:9-13-2019)

ine#	KEY	MANUFACTURER	NAME	<u>NUMBER</u>	COLOR / FINISH	FABRIC / MATERIAL	REP INFORMATION	DESCRIPTION
1	PAINT-1	Sherwin Williams	Emerald Interior Acrylic Flat Walls / SemiGloss Trim	SW-6252	ICE CUBE	-	Orion	Common Wall Paint
2	PAINT-2	Sherwin Williams	Emerald Interior Acrylic Flat Walls	SW-9060	Connors Lakefront	-	Orion	Accent Paint
3	WBW	Koroseal	Wall Talker Mag Write White	M24800	White	-	Orion	
			Aluminum Trim	1-3/4" x 5/16"	Annodized		Orion	
4	CC-FF	TBD	Concrete Floor Seal	CC-FF	Seal	-	GC - Approved by Orion	Clean / Seal Concrete
5	CPT-1	Shaw	No Rules - Disperse, Magnetic Fields	Style 59576	Color 75505	_	Dawn Van Dyke 704.668.7938	Carpet Tile - 1/4 Turn Install
6	BASE-1	Johnsonite	63 Bumt Umber B	63	Burnt Umber B	-	Orion	4" Wall Base (COVE) (CPT Tile & VCT)
7	LVP	Shaw	Terrain II 6"x48" - 20 Mil	Style 0454V	Summit - 05012	_	Dawn Van Dyke 704.668.7938	6" Luxury Vinyl Plank (Entry, Reception & Break) 2
8	BASE-2	Flat Maple	1x6 flat stock stained gray with shoe mold	Stain TBD Will Match Doors & LVP			GC - Approved by Orion	
9	TRANS-1	Schluter	Schiene (Same-height Transition)	SCHIENE	Stainless	-	Orion	Carpet Tile - LVP Transition (Metal)
0	TRANS-2	Schluter	RENO-TK (Sloped Transition)	RENO-TK	Stainless	-	Orion	Carpet Tile - LVP Transition (Metal)
11	LAM-1	Wilsonart	Noirth Sea	D90-60	Matte	2	Orion	Uppers & Lowers - Millwork
12	SS-1	HanStone	Tofino	CL-119	CL101		Orion	Solid Surface Tops & Backsplash
3	SS-2	HanStone	Tofino	CL-119 1/2" Backsplash	CL101		Orion	Total Control of the
4	GL-1	Shop	1/2" Clear Tempered (Butt-Joint)		TBD		Orion	Reception Entry - Full Light Glass (Side Lights)
5	GL DOOR-1	Shop	1/2" Clear Tempered (Full Height)		TBD		Orion	Reception Entry - 3-0" Double Doors
6	GLDOOR-1	Shop	24" Ladder Style Pull		Brushed Stainless	_	Orion	11000pton 21lay 0 0 Dodgo Dodgo
7	LF-1	CREE	LED Recessed Troffer 4K Lumen	ZR24C-40L-501K-10V-FD	TBD		Orion	2x2 Lighting Fixure
8	LF-RF	Phillips	15W LED Tube 5K	Fixure Specific	100		CHOIT	ZXZ Eighting Fixure
3	LF-2	Lithonia	4" Recessed WallWash	LDN4-40-X-LW4-WR-LSS-MVOLT-X-X	TBD	_	Orion	4" Recessed Can Lights
0	LF-3	Jesco	Under Cabinet Led Slim Stix	S601-400K	TBD	_	Orion	Under Cabinet LED Light Fixture
21	E-1	Trade	8 wire (Up to 4x 20amp Circuits) Furniture Infeed	# of Circuits Depends upon # of Users	-		Orion with Electrician	Power Infeed for Fumiture Systems - Via Trench /
22	E-2	Trade	1.5" Conduit (Data Cabling to Workstations)	ii di diidata bapana apanii di dadid			Orion	1.5" Conduit via Trench / Core (Flush Mounted Floor
23	E-3	Trade	2" Conduit (Riser to Telco)				Orion	2" Conduit for Data Circuit (Riser to Telco Close
4	E-4	Trade	Conference Power - Floor Power Duplex & Conduit				Orion	Power & 1.5" Data Conduit in Flush Mounted Floor
5	E-5	Trade	Faceplates, Switches, and Recepts WHITE				CHOIL	1 GWC1 & 1.0 Data Colladit III I Idolf Wodifted 1 looi
6	E-6	Trade	Leviton Occupancy Switches	ODS 10-ID 120/277 V White				
7	E-7	Trade	15Amp 125 V Combination USB 3.1A	Legrand or Similar				
3	CT-1	Armstrong	2'x2' Acoustical Ceiling Tile	Ultima - 2x2 ACT BevelTegular Tiles & 916" Suprafine Grid			Orion	2x2 Acoustical Ceiling & Grid
)	WATER-1	Trade	Water Supply Line Recessed Box / Supply	Sioux Chief 696	-	-	Orion	Waterline (Coffee, Water & Ice)
1	DOOR-1	VT Industries (AWD)	Water Supply Life Recessed Box / Supply Wood Full Lite Doors	Full Lite Doors	TBD	-	VT Industries	Interior Veneer Doors
2	Hardware		Nouveau III Collection or Similar	M1284 PN	Polished Nickel	-	Orion	Cabinet Pulls / Hardware
		Top Knobs			Pulistieu Nickei	-		
3	Hardware	Blum	Metabox 320M Drawer Series - BLUMATIC	Metabox 320M	-	-	Orion	Drawer System
4	Hardware	Blum	Soft Close Euro Hinge - Or Similar Soft Close	0.5.05.05.04	01.11			
5	Hardware	Elkay	Celebrity Single Bowl Sink	GECR2521L	Stainless	-	Orion	Kitchen Sink
6	Hardware	Kohler	Purist Pull Out Spout	K-7506	Polished Chrome	-	Orion	Kitchen Faucet
7	Appliance	GE	Botton-Freezer Refrigerator 20.9-cu ft or Similar	ADA Compliant GFE24JSKSS	Stainless	-	GC - Approved by Orion	Refrigerator (add waterline)
8	Appliance	GE	2.0-cu ft Countertop Microwave 1,200 W or Similar	ADA Compliant GPES7227SLSS	Stainless	-	GC - Approved by Orion	Microwave (add power duplex to nook location:
9	CN-1	General Contractor	Privacy - Deck to Deck Construction / Insulated		-	-	Orion	Conference Areas near Common Areas
0	CN-2	General Contractor	4'x8' Fire Rated Plywood - Painted		TBD	0	Orion	Telco Closet (4'x8' Fire Rated Plywood - Painte
1	MDF-ELE	Trade	(2) 20Amp Circuits @ 72" AFF					
2	MDF-ELE-2	Trade	(1) 20AMP Circuit At 18" For Rack Service					








PAINTED STRAIGHT SCHLUTER SCHIENE WOOD BASE, GREY STN TRANSITION

**CARPET: SHAW CONTRACT NO RULES, DISPERSE TILE, MAGNETIC FIELDS** 




**SEALED CONCRETE** 




RUBBER BASE JOHNSONITE 63 BURNT UMBER



SHAW CONTRACT LVT
TERRAIN II
SUMMIT




COUNTERTOPS &
BACKSPLASH:
HANSTONE, TOFINO



MILLWORK LAMINATE: WILSONART SLATE NORTH SEA D90-60




GENERAL PAINT
SHERWIN WILLIAMS ICE
CUBE




ACCENT PAINT:
SHERWIN WILLIAMS
SW9060 CONNOR'S LAKEFONT






#### **WORKSTATION PLAN**

# **WORKSTATIONS**



**WORKSTATION PERSPECTIVE** 



PAINT CHARCOAL



PANEL FABRIC MERGE DOVE




WOOD LAMINATE PHANTOM CHARCOAL

# PALLETTE "C" CONSTRUCTION STANDARDS (DOR:7/9/2019)

ine#	<u>KEY</u>	MANUFACTURER	<u>NAME</u>	<u>NUMBER</u>	COLOR / FINISH	FABRIC / MATERIAL	REP INFORMATION	DESCRIPTION
1	PAINT-1	Sherwin Williams	Emerald Interior Acrylic Flat Walls / SemiGloss Trim	SW-6252	ICE CUBE	-	Orion	Common Wall Paint
2	PAINT-2	Sherwin Williams	Emerald Interior Acrylic Flat Walls	SW-9060	Connors Lakefront	-	Orion	Accent Paint
3	WBW	Koroseal	Wall Talker Mag Write White	M24800	White	-	Orion	
			Aluminum Trim	1-3/4" x 5/16"	Annodized		Orion	
4	CC-FF	TBD	Concrete Floor Seal	CC-FF	Seal	-	GC - Approved by Orion	Clean / Seal Concrete
5	CPT-1	Shaw	No Rules - Disperse, Passport	Style 59576	Color 75597	-	Dawn Van Dyke 704.668.7938	Carpet Tile - 1/4 Turn Install
6	BASE-1	Johnsonite	63 Bumt Umber B	63	Burnt Umber B	-	Orion	4" Wall Base (COVE) (CPT Tile & VCT)
7	LVP	Shaw	Terrain II 6"x48" - 20 Mil	Style 0454V	Echo - 00775	-	Dawn Van Dyke 704.668.7938	6" Luxury Vinyl Plank (Entry, Reception & Break) 20m
8	BASE-2	Flat Maple	1x6 flat stock stained gray with shoe mold	Stain TBD Will Match Doors & LVP			GC - Approved by Orion	
9	TRANS-1	Schluter	Schiene (Same-height Transition)	SCHIENE	Stainless	-	Orion	Carpet Tile - LVP Transition (Metal)
10	TRANS-2	Schluter	RENO-TK (Sloped Transition)	RENO-TK	Stainless	-	Orion	Carpet Tile - LVP Transition (Metal)
11	LAM-1	Wilsonart	Shadow	D96-60	Matte	_	Orion	Uppers & Lowers - Millwork
12	SS-1	HanStone	Solid Surface Aurora Snow	CL101 - 1" Sq Edge	CL101	_	Orion	Solid Surface Tops & Backsplash
13	SS-2	HanStone	Solid Surface Aurora Snow	1/2" Backsplash	CL101		Orion	
14	GL-1	Shop	1/2" Clear Tempered (Butt-Joint)	2000 - NA GARA MARANAN	TBD	-	Orion	Reception Entry - Full Light Glass (Side Lights)
15	GL DOOR-1	Shop	1/2" Clear Tempered (Full Height)		TBD	2	Orion	Reception Entry - 3-0" Double Doors
16	GL DOOR-1	Shop	24" Ladder Style Pull		Brushed Stainless	-	Orion	
17	LF-1	CREE	LED Recessed Troffer 4K Lumen	ZR24C-40L-501K-10V-FD	TBD	_	Orion	2x2 Lighting Fixure
18	LF-RE	Phillips	15W LED Tube 5K	Fixure Specific				
19	LF-2	Lithonia	4" Recessed WallWash	LDN4-40-X-LW4-WR-LSS-MVOLT-X-X	TBD	-	Orion	4" Recessed Can Lights
20	LF-3	Jesco	Under Cabinet Led Slim Stix	S601-400K	TBD	9	Orion	Under Cabinet LED Light Fixture
21	E-1	Trade	8 wire (Up to 4x 20amp Circuits) Furniture Infeed	# of Circuits Depends upon # of Users	-	-	Orion with Electrician	Power Infeed for Fumiture Systems - Via Trench / Co
22	E-2	Trade	1.5" Conduit (Data Cabling to Workstations)		-	-	Orion	1.5" Conduit via Trench / Core (Flush Mounted Floor B
23	E-3	Trade	2" Conduit (Riser to Telco)		2		Orion	2" Conduit for Data Circuit (Riser to Telco Closet)
24	E-4	Trade	Conference Power - Floor Power Duplex & Conduit		-	-	Orion	Power & 1.5" Data Conduit in Flush Mounted Floor B
25	E-5	Trade	Faceplates, Switches, and Recepts WHITE					
26	E-6	Trade	Leviton Occupancy Switches	ODS 10-ID 120/277 V White				
27	E-7	Trade	15Amp 125 V Combination USB 3.1A	Legrand or Similar				
28	CT-1	Armstrong	2'x2' Acoustical Ceiling Tile	Ultima - 2x2 ACT BevelTegular Tiles & 916" Suprafine Grid	-	-	Orion	2x2 Acoustical Ceiling & Grid
30	WATER-1	Trade	Water Supply Line Recessed Box / Supply	Sioux Chief 696	2	2	Orion	Waterline (Coffee, Water & Ice)
31	DOOR-1	VT Industries (AWD)	Wood Full Lite Doors	Full Lite Doors	TBD	-	VT Industries	Interior Veneer Doors
32	Hardware	Top Knobs	Nouveau III Collection or Similar	M1284 PN	Polished Nickel	-	Orion	Cabinet Pulls / Hardware
33	Hardware	Blum	Metabox 320M Drawer Series - BLUMATIC	Metabox 320M	2	2	Orion	Drawer System
34	Hardware	Blum	Soft Close Euro Hinge - Or Similar Soft Close					*
35	Hardware	Elkay	Celebrity Single Bowl Sink	GECR2521L	Stainless	-	Orion	Kitchen Sink
36	Hardware	Kohler	Purist Pull Out Spout	K-7506	Polished Chrome	2	Orion	Kitchen Faucet
37	Appliance	GE	Botton-Freezer Refrigerator 20.9-cu ft or Similar	ADA Compliant GFE24JSKSS	Stainless	-	GC - Approved by Orion	Refrigerator (add waterline)
38	Appliance	GE	2.0-cuft Countertop Microwave 1,200 W or Similar	ADA Compliant GPES7227SLSS	Stainless	_	GC - Approved by Orion	Microwave (add power duplex to nook locations)
39	CN-1	General Contractor	Privacy - Deck to Deck Construction / Insulated	, , , , , , , , , , , , , , , , , , , ,	_	2	Orion	Conference Areas near Common Areas
40	CN-2	General Contractor	4'x8' Fire Rated Plywood - Painted		TBD	_	Orion	Telco Closet (4'x8' Fire Rated Plywood - Painted)
41	MDF-ELE	Trade	(2) 20Amp Circuits @ 72" AFF					
42	MDF-ELE-2	Trade	(1) 20AMP Circuit At 18" For Rack Service					










SCHLUTER SCHIENE TRANSITION

**CARPET: SHAW CONTRACT NO RULES, DISPERSE TILE, PASSPORT** 



**SEALED CONCRETE** 




**WOOD BASE, GREY STN** 

RUBBER BASE JOHNSONITE 63 BURNT UMBER




SHAW CONTRACT LVT
TERRAIN II
ECHO



COUNTERTOPS &
BACKSPLASH:
HANSTONE, AURORA SNOW



MILLWORK LAMINATE: WILSONART SLATE SHADOW D96-60




GENERAL PAINT
SHERWIN WILLIAMS ICE
CUBE




ACCENT PAINT:
SHERWIN WILLIAMS
SW9060 CONNOR'S LAKEFONT





#### **WORKSTATION PLAN**

# **WORKSTATIONS**



**WORKSTATION PERSPECTIVE** 



**PAINT STUCCO** 



**PANEL FABRIC MERGE SLATE** 



**WOOD LAMINATE PHANTOM ECRU** 

# PALLETTE "D" CONSTRUCTION STANDARDS (DOR:7/9/2019)

.ine #	KEY	MANUFACTURER	NAME.	NUMBER	COLOR / FINISH	FABRIC / MATERIAL	REP INFORMATION	DESCRIPTION
1	PAINT-1	Sherwin Williams	Emerald Interior Acrylic Flat Walls / SemiGloss Trim	SW-7035	Aesthetic White	-	Orion	Common Wall Paint
2	PAINT-2	Sherwin Williams	Emerald Interior Acrylic Flat Walls	SW-9060	Connors Lakefront	-	Orion	Accent Paint
3	WBW	Koroseal	Wall Talker Mag Write White	M24800	White	-	Orion	
			Aluminum Trim	1-3/4" x 5/16"	Annodized		Orion	
4	CC-FF	TBD	Concrete Floor Seal	CC-FF	Seal	_	GC - Approved by Orion	Clean / Seal Concrete
5	CPT-1	Shaw	No Rules - Disperse, Flutter	Style 59576	Color 75761		Dawn Van Dyke 704.668.7938	Carpet Tile - 1/4 Turn Install
6	BASE-1	Johnsonite	63 Bumt Umber B	63	Burnt Umber B	-	Orion	4" Wall Base (COVE) (CPT Tile & VCT)
7	LVP	Shaw	Terrain II 6"x48" - 20 Mil	Style 0454V	Shade-00564	_	Dawn Van Dyke 704.668.7938	6" Luxury Vinyl Plank (Entry, Reception & Break) 20mil
8	BASE-2	Flat Maple	1x6 flat stock stained gray with shoe mold	Stain TBD Will Match Doors & LVP			GC - Approved by Orion	,,,,
9	TRANS-1	Schluter	Schiene (Same-height Transition)	SCHIENE	Stainless	-	Orion	Carpet Tile - LVP Transition (Metal)
10	TRANS-2	Schluter	RENO-TK (Sloped Transition)	RENO-TK	Stainless	_	Orion	Carpet Tile - LVP Transition (Metal)
11	LAM-1	Wilsonart	Slate Grey	D91-60	Slate Grey	_	Orion	Uppers & Lowers - Millwork
12	SS-1	Wilsonart	Triton	1" Sq Edge	9212CM	_	Orion	Solid Surface Tops & Backsplash
13	SS-2	Wilsonart	Triton	1/2" Backsplash	9212CM		Orion	condition tops of positional
14	GL-1	Shop	1/2" Clear Tempered (Butt-Joint)	The Development	TBD		Orion	Reception Entry - Full Light Glass (Side Lights)
15	GL DOOR-1	Shop	1/2" Clear Tempered (Full Height)		TBD		Orion	Reception Entry - 3-0" Double Doors
16	GL DOOR-1	Shop	24" Ladder Style Pull		Brushed Stainless		Orion	Nocopilon Entry 0 0 Double Doors
17	LF-1	CREE	LED Recessed Troffer 4K Lumen	ZR24C-40L-501K-10V-FD	TBD		Orion	2x2 Lighting Fixure
18	LF-RE	Phillips	15W LED Tube 5K	Fixure Specific	100		Onlin	2A2 Lighting Fixare
19	LF-2	Lithonia	4" Recessed WallWash	LDN4-40-X-LW4-WR-LSS-MVOLT-X-X	TBD	_	Orion	4" Recessed Can Lights
20	LF-3	Jesco	Under Cabinet Led Slim Stix	S601-400K	TBD		Orion	Under Cabinet LED Light Fixture
21	E-1	Trade	8 wire (Up to 4x 20amp Circuits) Furniture Infeed	# of Circuits Depends upon # of Users	-	_	Orion with Electrician	Power Infeed for Fumiture Systems - Via Trench / Core
22	E-2	Trade	1.5" Conduit (Data Cabling to Workstations)	ii oi oiloato bopoliae aporti oi o ooso			Orion	1.5" Conduit via Trench / Core (Flush Mounted Floor Bo
23	E-3	Trade	2" Conduit (Riser to Telco)				Orion	2" Conduit for Data Circuit (Riser to Telco Closet)
24	F-4	Trade	Conference Power - Floor Power Duplex & Conduit				Orion	Power & 1.5" Data Conduit in Flush Mounted Floor Box
25	E-5	Trade	Faceplates, Switches, and Recepts WHITE				Onlin	Tower a 1.0 Data conduit III lastimodited 1001 Box
26	E-6	Trade	Leviton Occupancy Switches	ODS10-ID 120/277 V White				
27	E-7	Trade	15Amp 125 V Combination USB 3.1A	Legrand or Similar				
28	CT-1	Armstrong	2'x2' Acoustical Ceiling Tile	Ultima - 2x2 ACT BevelTegular Tiles & 916" Suprafine Grid		200.0	Orion	2x2 Acoustical Ceiling & Grid
30	WATER-1	Trade	Water Supply Line Recessed Box / Supply	Sioux Chief 696			Orion	Waterline (Coffee, Water & Ice)
31	DOOR-1	VT Industries (AWD)	Wood Full Lite Doors	Full Lite Doors	TBD	-	VT Industries	Interior Veneer Doors
32	Hardware	Top Knobs	Nouveau III Collection or Similar	M1284 PN	Polished Nickel	**************************************	Orion	Cabinet Pulls / Hardware
33	Hardware	Blum	Metabox 320M Drawer Series - BLUMATIC	Metabox 320M	F OII SI ICU INI CACI	2.7	Orion	Drawer System
34	Hardware	Blum	Soft Close Euro Hinge - Or Similar Soft Close	MIELADUX 3ZUMI	-	-	Olluli	Drawer System
35	Hardware	Elkay	Celebrity Single Bowl Sink	GECR2521L	Stainless		Orion	Kitchen Sink
36	Hardware	Kohler	Purist Pull Out Spout	K-7506	Polished Chrome	-	Orion	Kitchen Faucet
37		GE	Botton-Freezer Refrigerator 20.9-cu ft or Similar	ADA Compliant GFE24JSKSS	Stainless	-	GC - Approved by Orion	Refrigerator (add waterline)
38	Appliance	GE		The state of the s				
	Appliance		2.0-cu ft Countertop Microwave 1,200 W or Similar	ADA Compliant GPES7227SLSS	Stainless	-	GC - Approved by Orion	Microwave (add power duplex to nook locations)
39	CN-1	General Contractor	Privacy - Deck to Deck Construction / Insulated		TDD	-	Orion	Conference Areas near Common Areas
40	CN-2	General Contractor	4'x8' Fire Rated Plywood - Painted		TBD	-	Orion	Telco Closet (4'x8' Fire Rated Plywood - Painted)
41	MDF-ELE	Trade	(2) 20Amp Circuits @ 72" AFF					
42	MDF-ELE-2	Trade	(1) 20AMP Circuit At 18" For Rack Service					









SCHLUTER SCHIENE


**TRANSITION** 

PAINTED STRAIGHT WOOD BASE, GREY STN

**CARPET: SHAW CONTRACT NO RULES, DISPERSE TILE, FLUTTER** 



**SEALED CONCRETE** 



RUBBER BASE JOHNSONITE 63 BURNT UMBER



SHAW CONTRACT TERRAIN II, SHADE



COUNTERTOPS: WILSONART, TRITON



MILLWORK LAMINATE: WILSONART SLATE GREY D91-60




GENERAL PAINT
SHERWIN WILLIAMS
AESTHETIC WHITE




ACCENT PAINT:
SHERWIN WILLIAMS
SW9060 CONNOR'S LAKEFONT






#### **WORKSTATION PLAN**

# **WORKSTATIONS**



**WORKSTATION PERSPECTIVE** 



PAINT LIGHT GRAY



PANEL FABRIC
MERGE DRIFTWOOD



WOOD LAMINATE SHADOW

# VT INDUSTRIES FULL CLEAR GLASS LITE VENEER DOOR



DOOR AND CABINET
HARDWARE HAS BEEN
SELECTED TO BE ADA
COMPLIANT WITH A MODERN
LOOK AND CLEAN LINES,
ALONG WITH FULL
FUNCTIONABILITY



**MILLWORK REPRESENTATION** 

CONFERENCE HARDWARE CRL LADDER PULL



DOOR HARDWARE LEVER
BUILDING STANDARD



MILLWORK CABINET HARDWARE
TOP KNOBS NOUVEAU III,
POLISHED NICKEL



BLUM METABOX DRAWER SLIDE





**ARMSTRONG ULTIMA CEILING TILE** 

CEILINGS AND LIGHTING
ARE DESIGNED TO BE LED
EFFICIENT WITH MODERN
REVEALS AND GRID AND
INCLUDES ACCENT AND TASK
LIGHTING



OPEN OFFICE & OFFICE CREE 2X4 LED TROFFER LIGHTING



WALL WASHER LITHONIA LD4 SERIES



MILLWORK UNDERCABINET
JESCO LED SLIM STIX





RESTROOM UNDERMOUNT SINK FOR SOLID SURFACE KOHLER, CAXTON RECTANGLE, WHITE

PLUMBING FIXTURES
HAVE BEEN DESIGNED AND
SELECTED FOR WATER
EFFICIENCY, MODERN DESIGN,
EASE OF OPERATION (HANDS
FREE IN RESTROOMS)



BREAK ROOM UNDERMOUT SINK ELKAY CELEBRITY SINGLE BOWL



RESTROOM TOUCHLESS FAUCET SLOAN EFX SERIES



BREAK ROOM FAUCET
KOHLER PURIST PULL-OUT SPOUT



APPLIANCES
ARE ADA COMPLIANT WITH
COMMERICAL WARRANTIES
AND MODERN STAINLESS
STEEL FINISH



GE REFRIGERATOR
GFE24JSKSS



GE MICROWAVE PES7227SLSS

